

PUBLIC/PRIVATE SCHOOL
 STATE OF FLORIDA
 DEPARTMENT OF HEALTH
 COUNTY HEALTH DEPARTMENT
 PUBLIC/PRIVATE SCHOOL
 INSPECTION REPORT



Geocoded 25.877373/-80.315346

- PURPOSE:**
- REINSPECTION
 - ROUTINE
 - CONSTRUCT.
 - COMPLAINT
 - QA SURVEY
 - OTHER
 - CHANGE OF OWNER
 - CONSULTATION
 - EPIDEMIOLOGY
 - PREOPENING

TYPE: Public School

CENSUS	FEMALES	MALES
530	260	270

NAME M.A. Milam Elem. PLC

ADDRESS 6020 W 16 Avenue **CITY** Hialeah

OWNER M-DCSB Food and Nutrition **ZIP** 33012

PERSON IN CHARGE M-DCSB Food and Nutrition **PHONE** (555) 555-5555

E-MAIL annamhernandez@dadeschools.net

- RESULTS:**
- Satisfactory
 - Incomplete
 - Unsatisfactory
 - OUT OF BUSINESS

- Correct Violations by**
- Next Inspection
 - 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
13:00	15:15	01/21/2015	27458	13-51-10529

RE-INSPECTION DATE

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance: for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

- | | | | | |
|---|--|---|--|--|
| SCHOOL SANITATION | <input type="checkbox"/> 8. Natural Ventilation | <input checked="" type="checkbox"/> 15. Handwash Facilities | LIQUID/SOLID WASTE | SAFETY |
| <input type="checkbox"/> 1. School Site | <input type="checkbox"/> 9. Mechanical Ventilation | <input type="checkbox"/> 16. Showers/Fixtures | <input type="checkbox"/> 21. Sewage Disposal | <input type="checkbox"/> 26. First Aid Kit |
| <input type="checkbox"/> 2. Playground Equipment | SANITARY FACILITIES | <input type="checkbox"/> 17. Shower Water Temp. | <input type="checkbox"/> 22. Solid Waste | FOOD |
| <input type="checkbox"/> 3. Athletic Equipment | <input type="checkbox"/> 10. Provided/Accessible | WATER SUPPLY | VECTOR/VERMIN CONTROL | <input type="checkbox"/> 27. Food Insp. Rpt. |
| BUILDINGS | <input type="checkbox"/> 11. Cleanliness & Repair | <input type="checkbox"/> 18. Installed/Operated/Maintained | <input type="checkbox"/> 23. Infestation/Control | OTHER |
| <input type="checkbox"/> 4. Construction | <input type="checkbox"/> 12. Toilet Facilities | <input type="checkbox"/> 19. Drinking Fountains | <input type="checkbox"/> 24. Brush/Trash | <input type="checkbox"/> 28. |
| <input checked="" type="checkbox"/> 5. Maintenance & Repair | <input type="checkbox"/> 13. Separation of Sexes | <input type="checkbox"/> 20. Approved Source | <input type="checkbox"/> 25. Water Collection/Drainage | <input type="checkbox"/> 29. |
| <input type="checkbox"/> 6. Lighting/Foot-Candles | <input type="checkbox"/> 14. Fixture Ratio | | | |
| <input type="checkbox"/> 7. Heating, Ventilation, A/C | | | | |

COMMENTS AND INSTRUCTIONS

Vermis proof in the south side exit door of room 702
 Violation #5 Replace the stained ceiling tiles in room :223 ; 801 ;903C ;1010;131A ;

Replace the broken ceiling tiling tile in room 504

Repair the holes in the ceiling of room 903C ;902

Clean or replace the the stained carpet in room 504

Replace the missing ceiling tile in room 903B

Replace the broken ceiling tile in room 401

Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and hazards such as sharp edges, splinters, and protruding or rusty nails.

Violation #15 Repair the broken hand washing sink in room 503 Bathroom

Violation #15 Thee water from the hand washing sink is of white color needs to be reported to the water department in the office of the library

Code Reference FAC: Handwash Facilities 64E-13.004(6)(b).

Continued On Page 2

INSPECTION CONDUCTED BY: Jorge Suarez **PHONE:** 305 623 3500

INSPECTION COND SIGNATURE: **PHONE 2:** _____

COPY OF REPORT RECEIVED BY: **DATE:** 1/21/2015

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY PUBLIC HEALTH UNIT
Public/Private School



Name: M.A. Milam Elem. PLC

Date: 01/21/2015

Identification No: 13-51-10529

Comments and Instructions (Continued from Page 1):

Handwashing facilities shall be located within or adjoining each toilet room. Soap dispensers shall be provided at all wash basins and liquid or powdered soap shall be used. Individual towels, preferably paper shall be used. Use of common or public towels is prohibited. Hot-air hand drying devices

Copy of Report
Received By:

Inspector Jorge Suarez

Page 2

PUBLIC/PRIVATE SCHOOL

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
PUBLIC/PRIVATE SCHOOL
INSPECTION REPORT



Geocoded 25.877373/-80.315346

- PURPOSE:**
- REINSPECTION
- ROUTINE CHANGE OF OWNER
- CONSTRUCT. CONSULTATION
- COMPLAINT EPIDEMIOLOGY
- QA SURVEY PREOPENING
- OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
377	185	192

NAME M.A. Milam Middle Learning CTR.

ADDRESS 6020 W 16 Avenue **CITY** Hialeah

OWNER M-DCSB Food and Nutrition **ZIP** 33012

PERSON IN CHARGE M-DCSB Food and Nutrition **PHONE** (305) 822-0301

E-MAIL annamhernandez@dadeschools.net

RESULTS:

- Satisfactory
- Incomplete
- Unsatisfactory
- OUT OF BUSINESS

Correct Violations by

- Next Inspection
- 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
15:15	17:00	01/21/2015	27458	13-51-07928

RE-INSPECTION DATE

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

SCHOOL SANITATION

1. School Site
2. Playground Equipment
3. Athletic Equipment
- BUILDINGS**
4. Construction
5. Maintenance & Repair
6. Lighting/Foot-Candles
7. Heating, Ventilation, A/C

8. Natural Ventilation
9. Mechanical Ventilation
- SANITARY FACILITIES**
10. Provided/Accessible
11. Cleanliness & Repair
12. Toilet Facilities
13. Separation of Sexes
14. Fixture Ratio

15. Handwash Facilities
16. Showers/Fixtures
17. Shower Water Temp.
- WATER SUPPLY**
18. Installed/Operated/Maintained
19. Drinking Fountains
20. Approved Source

- LIQUID/SOLID WASTE**
21. Sewage Disposal
22. Solid Waste
- VECTOR/VERMIN CONTROL**
23. Infestation/Control
24. Brush/Trash
25. Water Collection/Drainage

- SAFETY**
26. First Aid Kit
- FOOD**
27. Food Insp. Rpt.
- OTHER**
- 28.
- 29.

COMMENTS AND INSTRUCTIONS

Violation #5 Replace the broken floor tiles in portabel # 6

Replace the missing ceiling tile in room 6

replace the stained ceiling tile in room : 131 ; in coridor by 122C ; in room 203 A ; in room 203 ; in room 212 ; 215

Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and hazards such as sharp edges, splinters, and protruding or rusty nails.

Violation #5 Replace the broken floor tiles in portabel # 6

Replace the missing ceiling tile in room 6

replace the stained ceiling tile in room : 131 ; in coridor by 122C ; in room 203 A ; in room 203 ; in room 212 ; 215

Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and hazards such as sharp

****Continued On Page 2****

INSPECTION CONDUCTED BY: Jorge Suarez **PHONE:** 305 623 3500

INSPECTION COND SIGNATURE:  **PHONE 2:** _____

COPY OF REPORT RECEIVED BY:  **DATE:** 1/21/2015

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY PUBLIC HEALTH UNIT
Public/Private School



Name: M.A. Milam Middle Learning CTR.

Date: 01/21/2015

Identification No: 13-51-07928

Comments and Instructions (Continued from Page 1):

edges, splinters, and protruding or rusty nails.

Violation #5 Replace the broken floor tiles in portabel # 6

Replace the missing ceiling tile in room 6

replace the stained ceiling tile in room : 131 ; in coridor by 122C ; in room 203 A; in room 203 ; in room 212 ; 215

Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and hazards such as sharp edges, splinters, and protruding or rusty nails.

Violation #9 Vent outside the bathroom # 143 and room 144

Code Reference FAC: Mechanical Ventilation 64E-13.004(5)(d). All spaces which do not meet the requirements for natural ventilation shall be mechanically ventilated by means of electrically operated exhausts. Fans and blowers shall be sized and designed to provide the required air movement without excessive or disturbing noise. Special provisions shall be made in the design of ventilation systems in areas of high air contamination such as paint shops, auto repair shops and chemistry laboratories, art rooms where kilns are used, wood working, and metal shops, chemical storerooms. A high capacity emergency exhaust system is recommended for chemistry laboratories. All air conditioned spaces shall be ventilated when occupied.

Violation #9 Vent outside the bathroom # 143 and room 144

Code Reference FAC: Mechanical Ventilation 64E-13.004(5)(d). All spaces which do not meet the requirements for natural ventilation shall be mechanically ventilated by means of electrically operated exhausts. Fans and blowers shall be sized and designed to provide the required air movement without excessive or disturbing noise. Special provisions shall be made in the design of ventilation systems in areas of high air contamination such as paint shops, auto repair shops and chemistry laboratories, art rooms where kilns are used, wood working, and metal shops, chemical storerooms. A high capacity emergency exhaust system is recommended for chemistry laboratories. All air conditioned spaces shall be ventilated when occupied.

Violation #9 Vent outside the bathroom # 143 and room 144

Code Reference FAC: Mechanical Ventilation 64E-13.004(5)(d). All spaces which do not meet the requirements for natural ventilation shall be mechanically ventilated by means of electrically operated exhausts. Fans and blowers shall be sized and designed to provide the required air movement without excessive or disturbing noise. Special provisions shall be made in the design of ventilation systems in areas of high air contamination such as paint shops, auto repair shops and chemistry laboratories, art rooms where kilns are used, wood working, and metal shops, chemical storerooms. A high capacity emergency exhaust system is recommended for chemistry laboratories. All air conditioned spaces shall be ventilated when occupied.

Violation #12 Ancond the foucet of the hand washing sink in bathroom 122A 144; 148 ; 147

Code Reference FAC: Toilet Facilities 64E-13.004(6)(a). Toilet facilities shall be accessible under continuous roof cover from all student occupied spaces. In group toilet rooms a partition shall be placed between each water closet. Each compartment shall have a door. Entrances to group toilet rooms shall be provided with a partition or other shielding device to block the occupants from view. Entrance doors shall be self-closing.

Violation #12 Ancond the foucet of the hand washing sink in bathroom 122A 144; 148 ; 147

Code Reference FAC: Toilet Facilities 64E-13.004(6)(a). Toilet facilities shall be accessible under continuous roof cover from all student occupied spaces. In group toilet rooms a partition shall be placed between each water closet. Each compartment shall have a door. Entrances to group toilet rooms shall be provided with a partition or other shielding device to block the occupants from view. Entrance doors shall be self-closing.

Copy of Report
Received By:

Inspector Jorge Suarez